CONTENTS

Volume 24, Issue Nos 1–15

International Journal of ENERGY RESEARCH

VOLUME 24, ISSUE No. 1 January 2000

Goal programming model for sustainable electricity production from biomass: P. Kanniappan and T. Ramachandran 1

Optimization of drying kiln operation: S-I. Gustafsson 19

Boiling characteristics of alternatives to R-502 inside air/refrigerant enhanced surface tubing: S. M. Sami and D. E. Desjardins 27

Applications of hydrofluoride ceramic membranes for advanced fuel cell technology: B. Zhu 39

Analysis of energy demand and CO_2 emissions for the Indian aluminium industry using a dynamic programming model: A. Das and T. C. Kandpal 51

Optimal unit sizing of cogeneration systems under the toleration for shortage of energy supply: S. Gamou, R. Yokoyama and K. Ito 61

Sliding mode control for efficiency optimization of wind energy systems with double output induction generator: P. F. Puleston, R. J. Mantz, P. E. Battaiotto and F. Valenciaga 77

VOLUME 24, ISSUE No. 2 February 2000

Comparative study of vapour compression, thermoelectric and absorption refrigerators: P. K. Bansal and A. Martin 93

Two-phase flow boiling characteristics of alternatives to R-22 inside air/refrigerant enhanced surface tubing: S. M. Sami and D. E. Desjardins 109

Outdoor-air design conditions relating to the capacity of air-conditioning systems: L. Bellia, P. Mazzei, F. Minichiello and A. Palombo 121

Dynamic behaviour analysis of a heat recovery steam generator during start-up: T. S. Kim, D. K. Lee and S. T. Ro 137

An adaptive feedback linearization strategy for variable speed wind energy conversion systems: F. Valenciaga, P. F. Puleston, P. E. Battaiotto and R. J. Mantz 151

Cooling energy consumption and operating costs: evaporative all-air and air-and-water systems in the Italian climate: L. Bellia, P. Mazzei, F. Minichiello and A. Palombo 163

Performance comparative study of new alternatives to R-502 inside air/refrigerant enhanced surface tubing: S. M. Sami and D. E. Desjardins 177

VOLUME 24, ISSUE No. 3 10 March 2000

Optimizing efficiency and productivity of a dehumidifier batch dryer. Part 1: capacity and airflow: C. G. Carrington, Z. F. Sun, Q. Sun, P. Bannister and G. Chen 187

Dehumidifier batch drying—effect of heat-losses and air-leakage: C. G. Carrington, Z. F. Sun and P. Bannister 205

City-regions and the development of sustainable energy-supply systems: D. McEvoy, D. C. Gibbs and J. W. S. Longhurst 215

Simulation of a pebble-bed heat regenerator: Md. A. A. Shoukat Choudhury and I. Hossain 239

Entropic analysis of adsorption open cycles for air conditioning. Part 1: first and second law analyses: M. Pons and A. Kodama 251

Entropic analysis of adsorption open cycles for air conditioning. Part 2: interpretation of experimental data: A. Kodama, W. Jin, M. Goto, T. Hirose and M. Pons 263

VOLUME 24, ISSUE No. 4 25 March 2000

Performance enhancement of some alternatives to R-502: S. M. Sami and D. E. Desjardins 279

An experimental and theoretical investigation into the heat transfer of a finned water wall tube in a circulating fluidized bed boiler: P. Basu and L. Cheng 291

Experimental studies on heat transfer enhancement of the inside and outside spirally triangle finned tube with small spiral angles for high-pressure preheaters: L. Wang, D.-W. Sun, P. Liang, L. Zhuang and Y. Tan 309

Sustainable energy development and greenhouse gas emissions in an island power system: F. Purcell, J. T. McMullan and A. McCrea 321

Heat transfer prediction of air-to-refrigerant two-phase flow boiling of alternatives to HCFC-22 inside air/refrigerant enhanced surface tubing: S. M. Sami and J. Grell 349

Studies in photogalvanic effect and mixed dyes system: EDTA-methylene blue + toluidine blue system: K. M. Gangotri and C. Lal 365

VOLUME 24, ISSUE No. 5 April 2000

Influence of inlet flow conditions on the performance of a swirl-stabilized combustor burning liquid fuel spray: A. Datta 373

Effect of indoor mass on the time constant and thermal delay of buildings: K. A. Antonopoulos and E. P. Koronaki 391

Modelling approaches to predicting thermal conductivity of soils at high temperatures: V. Tarnawski, F. Gori, B. Wagner and G. D. Buchan 403

The behaviour of aged three-way catalytic converters in the different modes of legislated cycles: I. P. Kandylas and A. M. Stamatelos 425

Thermodynamic analysis of an electrochemical refrigeration cycle: T. A. Newell 443

Tertiary fatty amides as diesel fuel substitutes: A. Serdari, E. Lois and S. Stournas 455

VOLUME 24, ISSUE No. 6 May 2000

Retrofitting R-12 car air conditioner with R-134a refrigerant: O. M. Al-Rabghi and A. A. Niyaz 467

Temperature–enthalpy/entropy charts of combined ejector–absorption cycle using NH_3–H_2O: G. K. Alexis and E. D. Rogdakis 475

Maximum power of an endoreversible intercooled Brayton cycle: C-Y. Cheng and C-K. Chen 485

Investigations of pressure fluctuation history records of gas–solid fluidized beds: S. C. Saxena and B. Waghmare 495

Financing solar thermal technologies under DSM programs: an innovative approach to promote renewable energy: G. R. Timilsina, T. Lefevre and S. Shrestha 503

A numerical study on parametric sensitivity of the flow characteristics on pulverized coal gasification: H. C. Cho 511

Load-frequency control of an interconnected hydro-thermal power system with new area control error considering battery energy storage facility: S. K. Aditya and D. Das 525

Design considerations for a power optimized regenerative endoreversible Stirling cycle: S. Bhattacharyya and D. A. Blank 539

Energy analysis of a CO_2 recycling system: Y. Sakamoto and W. Zhou 549

VOLUME 24, ISSUE No. 7 10 June 2000

Maximum entropy generation of in-series connected heat exchangers: A. S. Nafey 561

A decentralized adaptive controller for multimachine power systems: P. Doraraju and R. K. Nondy 571

Measurements and analysis of load and speed effects on the instantaneous wall heat fluxes in a direct injection air-cooled diesel engine: C. D. Rakopoulos, G. C. Mavropoulos and D. T. Hountalas 587

Long-term relationship between oil revenue and government expenditure in the GCC countries: M. M. Metwally 605

Method of thermoeconomical optimization of energy intensive systems with linear structure on graphs: C. Wu and V. Nikulshin 615

Estimation of CO_2 emission for each process in the Japanese steel industry: a process analysis: Y. Sakamoto and Y. Tonooka 625

An improved absorption refrigeration cycle driven by unsteady thermal sources below 100°C: J. F. Wang, G. C. Gao and G. M. Chen 633

Electric field analysis of hybrid ac/dc transmission lines: H. M. Ismail 641

VOLUME 24, ISSUE No. 8 25 June 2000

Optimum performance of a heat engine-driven combined vapour compression-absorption-ejector heat pump: S. Göktun and A. Bayülken 655

Effects of shingle absorptivity, radiant barrier emissivity, attic ventilation flowrate, and roof slope on the performance of radiant barriers: M. A. Medina 665

Extended mechanical efficiency theorems for engines and heat pumps: J. R. Senft 679

Optimization of energy plants including water/lithium bromide absorption chillers: J. C. Bruno, J. Miquel and F. Castells 695

A simple forecasting model for industrial electric energy consumption: A. Al-Shehri 719

Typical weather data of main Turkish cities for energy applications: M. Üner and A. İleri 727

VOLUME 24, ISSUE No. 9 July 2000

Pressurized drop tube furnace tests of global coal gasification characteristics: Y. Shin, S. Choi and D-H. Ahn 749

Performance analysis of new alternatives to HCFC-22 inside air/refrigerant-enhanced surface tubing: S. M. Sami and D. E. Desjardins 759

Energy saving strategies in an actual confectionery plant: C. N. Grimaldi, P. Lunghi and F. Mariani .. 769

A model of the thermal transient state of a wall of a room during the heating by a heating system: P. Massouros, G. Athanassouli and G. Massouros 779

Thermal analysis of a fluidized bed drying process for crops. Part I: Mathematical modeling: E. Hajidavalloo and F. Hamdullahpur 791

Thermal analysis of a fluidized bed drying process for crops. Part II: Experimental results and model verification: E. Hajidavalloo and F. Hamdullahpur 809

Influence of the ambient temperature on the operational indices of the gas turbine set: J. Szargut 821

An economic and technical case for a compressor/expander unit for heat pumps: P. C. Henderson, N. J. Hewitt and B. Mongey 831

VOLUME 24, ISSUE No. 10 August 2000

Entropy generation minimization in parallel-plates counterflow heat exchangers: J. C. Ordóñez and A. Bejan 843

Thermodynamic analysis of an irreversible MHD power plant: M. El Haj Assad 865

Genetic-based algorithm for identification of synchronous machine parameters using short-circuit tests: H. K. M. Youssef and K. M. El-Naggar 877

Market modeling for assessment of demand side programs using the marginal cost: P. Papastamatiou and J. Psarras 887

Energy and thermal performance of heat pipe/cooling coil systems in hot-humid climates: I. M. Budaiwi and A. A. Abdou 901

NO_x control by air staging in a small biomass fuelled underfeed stoker: M. R. I. Purvis, E. L. Tadulan and A. S. Tariq 917

VOLUME 24, ISSUE No. 11 September 2000

Evaluation of accelerator-driven subcritical systems for transmutations of nuclear waste: S. Taczanowski 935

Effect of interior guide tubes in cross-flow turbine runner on turbine performance: H. Olgun 953

Drying kinetics of pumpkinseeds: A. Can 965

Proposal of humid air turbine cycle incorporated with absorption heat transformer: M. Ishida and J. Ji 977

Structure and extinction of unsteady, counterflowing, strained, non-premixed flames: F. N. Egolfopoulos 989

Technology transfer issues and challenges for improved energy efficiency and environmental performance in China: A. J. Minchener 1011

VOLUME 24, ISSUE No. 12 10 October 2000

Analytical modelling of transient phase-change problems: A. Z. Sahin and I. Dincer 1029

On the calibration and application of heat flux sensors on buried district heating pipes: J. Dige Pedersen and B. Bøhm 1041

Numerical studies of catalytic combustion in a catalytically stabilized combustor: Y. S. Seo, S. J. Cho, S. K. Kang and H. D. Shin 1049

Prediction of heat transfer coefficient in the cyclone separator of a CFB: A. V. S. S. K. S. Gupta and P. K. Nag 1065

Cycle improvements to steam injected gas turbines: M. De Paepe and E. Dick 1081

Study on 2-propanol/acetone/hydrogen chemical heat pump: endothermic dehydrogenation of 2-propanol: W. Mooksuwan and S. Kumar 1109

VOLUME 24, ISSUE No. 13 25 October 2000

Entropy generated and exergy destroyed in lithium bromide thermal compressors driven by the exhaust gases of an engine: M. Izquierdo, M. de Vega, A. Lecuona and P. Rodríguez 1123

The shock tube pyrolysis of pyridine: H. U. R. Memon, K. D. Bartle, J. M. Taylor and A. Williams 1141

Flexibly using results of CFD and simplified heat transfer model for pulverized coal-fired boilers: M. Xu, X. He, J. L. T. Azevedo and M. G. Carvalho 1161

Thermal performance of a closed wet cooling tower for chilled ceilings: measurement and CFD simulation: S. Riffat, A. Oliveira, J. Facão, G. Gan and P. Doherty 1171

Combustion of methane in catalytic honeycomb monolith burners: V. Dupont, F. Moallemi, A. Williams and S.-H. Zhang 1181

Performance testing of different types of liquid flat plate collectors: S. B. Riffat, P. S. Doherty and E. I. Abdel Aziz 1203

VOLUME 24, ISSUE No. 14 November 2000

The testing and evaluation of trial refrigerants: Part 1. System description: J. S. Fleming, A. C. Bwalya and W. M. Dempster 1217

The testing and evaluation of trial refrigerants: Part 2. The practical use of measured data: J. S. Fleming, A. C. Bwalya and W. M. Dempster 1243

Solid fuel burning in steady, strained, premixed flow fields: the graphite/air/methane system: F. N. Egolfopoulos 1257

Prediction of two-phase condensation characteristics of some alternatives to R-22 inside air/refrigerant enhanced surface tubing: S. M. Sami and J. Grell 1277

Catalytic and inhibitory effects of Pt surfaces on the oxidation of $CH_4/O_2/N_2$ mixtures: V. Dupont, S.-H. Zhang and A. Williams 1291

VOLUME 24, ISSUE No. 15 December 2000

On transient heat losses from buried district heating pipes: B. Bøhm 1311

Developing a temperature-dependent Kersten function for soil thermal conductivity: V. R. Tarnawski, W. H. Leong and K. L. Bristow 1335

Photoelectrochemical studies on $[MnMoO_2(NCS)(Ox)_3(H_2O)_2](Ox = 8\text{-quinolinol})$: a novel system for solar energy conversion: A. M. E. Suresh Raj, J. Pragasam, F. P. Xavier and K. S. Nagaraja 1351

Numerical modelling of alternative refrigerants to HCFC-22 through capillary tubes: S. M. Sami and H. Maltais 1359

Design considerations of jet pumps with supersonic two-phase flow and shocks for refrigeration and thermal management applications: W. E. Lear, S. A. Sherif and J. M. Steadham 1373

AUTHOR INDEX 1391

KEYWORD INDEX 1393

WILEY This journal is online
InterScience®
www.interscience.wiley.com